

AccessionIndex: TCD-SCSS-V.20160425.001

Accession Date: 25-Apr-2016

Accession By: Paul O'Kane

Object name: Data General DG1/2T Owner's Manual

Vintage: c.1984

Synopsis: Data General, Data General One Model 2T Owner's Manual, Rev.02, P/N: 0690000233, Data General Corporation, Japan, August 1987.

Description:

The DG One Portable Computer Model 2T was a portable computer manufactured by Data General. The DG1/2T in this collection was made in about 1987. It is complete with power supply, owner's manual and original carrying-case. See the Hardware category of this catalog.

For the front and rear covers, title pages, table of contents, selected content, etc, see Figure 1 onwards below.

The homepage for this catalog is at: <https://www.scss.tcd.ie/SCSSTreasuresCatalog/>
Click '*Accession Index*' (1st column listed) for related folder, or '*About*' for further guidance. Some of the items below may be more properly part of other categories of this catalog, but are listed here for convenience.

Accession Index	Object with Identification
TCD-SCSS-V.20160425.001	Data General DG1/2T Owner's Manual, Data General, Data General One Model 2T Owner's Manual, Rev.02, P/N: 0690000233, Data General Corporation, Japan, August 1987. c.1984.

References:

1. Wikipedia, IBM System/360 Model 44, see:
https://en.wikipedia.org/wiki/Data_General-One
Last browsed to on 7-Jun-2016.




Figure 1: Data General DG1/2T owner's manual, Front Page

FCC Notice

This equipment generates and uses radio frequency energy and if not installed and used properly, that is, in strict accordance with the manufacturer's instructions, may cause interference to radio and television reception. It has been type tested and found to comply with the limits for a Class B computing device in accordance with the specifications in Subpart J of Part 15 of FCC Rules, which are designed to provide reasonable protection against such interference in a residential installation. However, there is no guarantee that interference will not occur in a particular installation. If the equipment does cause interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient the receiving antenna.

Move the computer away from the receiver. Relocate the computer with respect to the receiver.

Plug the computer into a different outlet so that computer and receiver are on different branch circuits.

If necessary, the user should consult the dealer or an experienced radio/television technician for additional suggestions. The user may find the following booklet prepared by the Federal Communications Commission helpful: "How to Identify and Resolve Radio-TV Interference Problems."

This booklet is available from the U.S. Government Printing Office, Washington, DC 20402, Stock No. 004-000-00345-4.

WARNING

THIS EQUIPMENT HAS BEEN CERTIFIED TO COMPLY WITH THE LIMITS FOR A CLASS B COMPUTING DEVICE, PURSUANT TO SUBPART J OF PART 15 OF FCC RULES. ONLY PERIPHERALS (COMPUTER INPUT/OUTPUT DEVICES, TERMINALS, PRINTERS, ETC.) CERTIFIED TO COMPLY WITH THE CLASS B LIMITS MAY BE ATTACHED TO THIS COMPUTER. OPERATION WITH NON-CERTIFIED PERIPHERALS OR WITH UNSHIELDED INTERCONNECTING CABLES IS LIKELY TO RESULT IN INTERFERENCE TO RADIO AND TV RECEPTION.

The following FCC identification numbers can be used with the DATA GENERAL/One™ Model 2T.

ADC6V7300021619

ADC96F1200021619

ADC6V7030113

ADC6V7010913

ADC6L53724032218

ADC6L56224032218

ADC6V711160104

Certified to comply with the limits for a Class B computing device, pursuant to Subpart J of Part 15 of FCC Rules. See instructions if interference to radio reception is suspected.

DATA GENERAL

TM

MODEL 2T OWNER'S MANUAL

 Data General

Figure 2: Data General DG1/2T owner's manual, Title Pages page 1 and 2

Notice

Data General Corporation (DGC) has prepared this document for use by DGC personnel, customers, and prospective customers. The information contained herein shall not be reproduced in whole or in part without DGC's prior written approval.

DGC reserves the right to make changes in specification and other information contained in this document without prior notice, and the reader should in all cases consult DGC to determine whether any such changes have been made.

THE TERMS AND CONDITIONS GOVERNING THE SALE OF DGC HARDWARE PRODUCTS AND THE LICENSING OF DGC SOFTWARE CONSIST SOLELY OF THOSE SET FORTH IN THE WRITTEN CONTRACTS BETWEEN DGC AND ITS CUSTOMERS. IN THE EVENT THAT A LICENSE AGREEMENT IS SUPPLIED OR ENCLOSED WITH, OR OTHERWISE ACCOMPANIES ANY SOFTWARE IN A SEALED PACKAGE, THE RIGHTS AND OBLIGATIONS WITH RESPECT TO SUCH SOFTWARE, INCLUDING ANY INFORMATION AND DOCUMENTATION SUPPLIED WITH THE SOFTWARE, ARE DEFINED AND GOVERNED BY THE TERMS AND CONDITIONS OF SUCH LICENSE AGREEMENT. NO REPRESENTATION OR OTHER AFFIRMATION OF FACT CONTAINED IN STATEMENTS REGARDING CAPACITY, RESPONSE-TIME PERFORMANCE, SUITABILITY FOR USE OR PERFORMANCE OF PRODUCTS DESCRIBED HEREIN SHALL BE DEEMED TO BE A WARRANTY BY DGC FOR ANY PURPOSE, OR GIVE RISE TO ANY LIABILITY OF DGC WHATSOEVER.

IN NO EVENT SHALL DGC BE LIABLE FOR ANY INCIDENTAL, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGE WHATSOEVER (INCLUDING BUT NOT LIMITED TO LOST PROFITS) ARISING OUT OF OR RELATED TO THIS DOCUMENT OR THE INFORMATION CONTAINED IN IT, EVEN IF DGC HAS BEEN ADVISED, KNEW OR SHOULD HAVE KNOWN OF THE POSSIBILITY OF SUCH DAMAGES.

CEO, DASHER, DATAPREP, ECLIPSE, ECLIPSE MV/4000, ECLIPSE MV/6000, ECLIPSE MV/8000, ENTERPRISE, INFOS, microNOVA, MANAP, NOVA, PRESENT, PROXI, SUPERNOVA, and TRENDVIEW are U.S. registered trademarks of Data General Corporation, and A-Z TEXT, BusiGEN, BusiPEN, BusiTEXT, COMPUALC, DATA GENERAL/One, DEFINE, DESKTOP GENERATION, DGL, ECLIPSE MV/10000, FORM-TEXT, GDC/1000, GENAP, GW/4000, METEOR, microECLIPSE, REV-UP, SLATE, SWAT, and XODIAC are U.S. trademarks of Data General Corporation.

ADM is a trademark of Lear Siegler, Inc. MS and GW are trademarks and Microsoft is a registered trademark of Microsoft Corporation. WordStar is a registered trademark of MicroPro International Corporation. Lotus and 1-2-3 are trademarks of Lotus Development Corporation. CP/M-86 is a registered trademark of Digital Research, Inc. Touch-Tone is a trademark of American Telephone and Telegraph. IBM is a registered trademark of International Business Machines Corporation.

DATA GENERAL/ONE™ MODEL 2T OWNER'S MANUAL

Ordering No. 069-000233
Copyright © Data General Corporation 1987
All Rights Reserved
Printed in Japan
Rev. 02, August 1987

Welcome to Your DATA GENERAL

Model 2T Personal System

The DATA GENERAL/One Model 2T personal system is a compact, portable computer with the power and features of larger desktop systems. It comes with the industry-standard MS™-DOS operating system and 512 kilobytes of memory. The basic unit also includes a full-sized display screen, a keyboard, and an internal diskette drive — all in a package that weighs less than 12 pounds. Your system is equipped with one of two types of screens: a backlit "LCD" (liquid crystal display) or a light-emitting "EL" (electroluminescent) display. If you have the Model 2T-LCD system, a battery pack is included.

The DATA GENERAL/One Model 2T personal system has built-in software for running diagnostics and functioning as a computer terminal. You can also expand your system to include an external numeric keypad, a printer, a built-in modem, a second internal diskette drive or a fixed disk, an external 5 1/4" diskette drive, added memory, and other options to make your Model 2T a comprehensive system.

069-000233

Figure 3: Data General DG1/2T owner's manual, Title Pages page 3 and 4

Using this Manual

Various type styles are used throughout the manual to indicate different kinds of information.

This type identifies system messages and prompts, as well as what you type at the keyboard.

Bold type highlights words with special meaning or importance.

When you see an instruction such as "Press key1-key2," it means you should press the first key and hold it down, then press the second key. For example, "Press Ctrl-P" means you should press and hold the Ctrl key while simultaneously pressing the P key. Similarly, "Press Ctrl-Alt-Del" tells you to press Del while holding down the Ctrl and Alt keys.

The following chart shows what you'll find in each chapter, and whether you're likely to need to read respective chapters.

Chapter	What it's about	Who should read it
Introduction	Getting your system ready for use; adjusting your LCD screen back-lighting	Everyone
1	How to set certain system values, back up your MS-DOS system and application diskettes, prepare an optional fixed disk for use, and run application programs	Everyone
2	Operating your personal system on batteries and traveling with your system	Everyone
3	How to use the keyboard	Everyone
4	Using MS-DOS to manage files and your personal system	Anyone not familiar with MS-DOS
5	How to use the internal modem and communications software, and how to connect the communications hardware components	Anyone who has an optional internal modem
6	Connecting a printer and setting the system defaults	Anyone who has a printer

069-000233

Chapter	What it's about	Who should read it
7	How to set system defaults for the 5 1/4" diskette drive; how to use 5 1/4" diskettes	Anyone who has the optional 5 1/4" diskette subsystem
8	How to diagnose and fix problems, use power-on and extended diagnostics, and respond to common MS-DOS error messages	Skim or read this chapter as needed.
A	Accessories, options, and supplies for your personal system	Everyone
B	Built-in functions, default settings, and menu options explained	Everyone
C	Internal modem commands and registers	Anyone who has the optional internal modem
D	How to install options	Anyone who is using optional cards
E	ASCII conversion chart	Experienced users who need to generate or process characters by their hexadecimal or decimal equivalents
F	Information on the United Kingdom keyboard	United Kingdom personal system users
G	Environmental requirements	Everyone
H	Disk drive configuration and boot-strap information	Very experienced users
Glossary	Terms used in this manual	Anyone unfamiliar with the terminology

069-000233

Figure 4: Data General DG1/2T owner's manual, Title Pages page 5 and 6

NOTE: This manual is written for persons who want to run off-the-shelf applications software. If you want to program your personal system, order the optional manual, Programmer's Reference for MS-DOS (069-100157).

CONTENTS

Introduction **Getting Ready to Use Your Personal System**

Chapter 1 **Customizing and Protecting Your System**

Powering Up	1-1
LCD Screen	1-2
Customizing Your Personal System	1-3
Starting the Built-in Functions	1-4
Setting the System Default Values	1-5
Protecting Diskettes	1-9
Preparing to Use MS-DOS	1-9
Copying Your MS-DOS Diskette	1-11
Preparing the Fixed Disk	1-13
Creating the MS-DOS Partition	1-14
Formatting the Fixed Disk	1-15

Chapter 2 **Battery Use and Travel**

The Model 2T-LCD Battery Pack	2-1
Charging the LCD Battery	2-1
Initial LCD Battery Use	2-2
LCD Battery Maintenance	2-2
Replacing the Model 2T-LCD Battery Pack	2-2
Battery Conservation Measures	2-3
Turning Off the Fixed Disk	2-5
Traveling with Your System	2-6
Other Precautions	2-7

Figure 5: Data General DG1/2T owner's manual, Title Pages page 7 and Contents Pages page i

Chapter 3	Using the Keyboard	
	External Numeric Keypad	3-4
	Running Applications Software	3-5
	Operating as a Data General Terminal	3-6
Chapter 4	Using MS-DOS	
	What is MS-DOS?	4-1
	What Are Commands and Files?	4-1
	Starting MS-DOS	4-2
	Using MS-DOS Commands	4-3
	Displaying Information about Commands: HELP	4-3
	Displaying Contents of a Diskette or Fixed Disk:	
	DIR	4-5
	Displaying a File's Contents: TYPE	4-7
	Preparing a Diskette: FORMAT	4-8
	Copying a File: COPY	4-10
	Changing a File's Name: RENAME	4-14
	Deleting a File: DEL	4-17
	Copying Diskettes: DISKCOPY	4-19
	Backing Up the Fixed Disk: BACKUP	4-22
	Restoring Backup Files to the Fixed Disk:	
	RESTORE	4-23
	Changing Characteristics: MODE	4-25
	Directories	4-28
	Pathnames	4-29
	Creating a Directory: MKDIR	4-30
	Changing Your Working Directory: CHDIR	4-30
	Removing a Directory: RMDIR	4-31
	Summary	4-32
	Filenames	4-32
	Conventions that Apply to All MS-DOS	
	Commands	4-33
	External and Internal Commands	4-33
	Special MS-DOS Editing and Control Keys	4-34
	Common MS-DOS Operations	4-34
	Troubleshooting	4-36

Chapter 5	Communicating with Another Computer	
	Telecommunication	5-1
	FCC Registration	5-2
	Tell the Telephone Company	5-2
	Steps in Telecommunication	5-3
	Connect Your Modem	5-4
	Select the Modem Line Characteristics	5-6
	Select the Terminal Characteristics	5-8
	Select the Print Option	5-10
	Activate the Modem (Go On-Line)	5-11
	Dial and Log On	5-11
	Log Off and Hang Up	5-11
	Data-Only Connection Example	5-12
	Acoustic Coupling	5-14
Chapter 6	Printing	
	Connecting Your Printer	6-1
	Configuring a Parallel Printer	6-2
	Configuring a Serial Printer	6-2
Chapter 7	Using 5¼" Diskettes	
	Connecting the 5¼" Drive	7-2
	Setting Default Values	7-3
	Selecting the Boot Device	7-4
	Using a 5¼" Diskette Drive	7-5
	Inserting and Removing a Diskette	7-5
	Running an Application	7-6
	Copying a 5¼" Diskette to a 3½" Diskette	7-7
	Copying from a 3½" Diskette to a 5¼" Diskette	7-8
	Copying between a 5¼" Diskette and a	
	Fixed Disk	7-10
	Copying from One 5¼" Diskette to Another	7-12

Figure 6: Data General DG1/2T owner's manual, Contents Pages page ii and page iii

Chapter 8	Troubleshooting	
	Power-Up Test	8-1
	Diagnostics	8-3
	Testing Memory	8-4
	Testing Diskette Drives	8-5
	Testing the Fixed Disk	8-6
	Common Error Messages	8-8
	Device Error Messages	8-8
	Other Messages	8-10
Appendix A	Options, Accessories, and Supplies	
	Built-in Hardware Options	A-1
	Additional Hardware Options	A-2
	Supplies and Accessories	A-4
Appendix B	Model 2T Built-in Functions and Menus	
	Using the Built-in Functions	B-1
	When to Use the Built-in Functions	B-1
	How to Start the Built-in Functions	B-2
	How to Use Menus	B-2
	Built-in Functions Menu Tree	B-3
	Built-in Functions Main Menu	B-3
	System Setup Menu	B-4
	Disk Drive Configuration Menu	B-7
	COM1 Parameters Menu	B-8
	COM2 Parameters Menu	B-9
	Terminal Emulation Menu	B-10
	Diagnostics Menu	B-12
Appendix C	Internal Modem Commands	
	Important Terms	C-1
	The Sequence of Modem Commands	C-2
	Modem Commands	C-3
	Modem Result Codes	C-11
	Voice and Data Mode Selection	C-12
	Valid Configurations	C-14
	S-Register Set Commands	C-15

	Reading the Contents of a Register	C-15
	Changing the Contents of a Register	C-15
	Bit-Mapped Registers	C-20
	Duplex and Echoing Mode Selection	C-25
	RS-232C Connector Pin Assignments	C-27
Appendix D	Installing Options	
	Installing the Internal Modem	D-2
	Installing a Memory Card	D-4
	Installing Option Cards	D-6
	Using a Color Adapter	D-8
	Setting the Default Video	D-9
	Starting Applications	D-10
	Replacing the Lithium Battery	D-11
	Troubleshooting	D-11
Appendix E	ASCII Conversion Chart	
Appendix F	Using the United Kingdom Keyboard	
	Installing the Keyboard	F-2
	Making an Additional System Diskette	F-2
	Using the Built-in Functions Terminal Emulator	F-3
	Creating Accented Characters	F-4
	Creating Special Characters	F-5
Appendix G	Environmental Requirements	
Appendix H	Extended Disk Drive Configuration Table	
	Glossary	
	Index	

Figure 7: Data General DG1/2T owner's manual, Contents Pages page iv and page v

Tables

1-1	Drive Assignments for Internal Diskette and Hard Disk Systems	1-7
3-1	Frequently Used Keys	3-2
3-2	The Numeric Keypad	3-3
3-3	PC-Compatible Key Combinations	3-5
3-4	Comparison of Model 2T and D200 Keyboards	3-6
4-1	The MS-DOS Function Keys	4-34
4-2	Some Common MS-DOS Operations	4-35
7-1	Drive Assignments for Systems with the 5¼" Drive	7-4
8-1	Troubleshooting Chart	8-6
C-1	Internal Modem Commands	C-3
C-2	S-Register Commands	C-16
E-1	ASCII Conversion Chart	E-1
F-1	Creating Special Characters	F-6
H-1	Disk Drive Configuration	H-1

Introduction Getting Ready to Use Your Personal System

Now that you've unpacked your DATA GENERAL/One Model 2T, you have a system, an AC adapter, your documentation, and an MS-DOS diskette ready to use. This introduction tells you how to assemble these elements so you can operate your computer. Remember to save the carton and all packing materials that came with your unit; you will need them if you ever have to reship the unit.

CAUTION: Do not try to disassemble your personal system. Only a Data General Corporation service representative should do this. You can, however, enhance your personal system by adding options at designated slots. See Appendix D for information on installing options.

Figure 8: Data General DG1/2T owner's manual, Contents Pages page vi and Introduction Page 1